
DevOps Environment Documentation

Release 0.0.1

Steven Miller

Mar 06, 2019

Contents:

1	devops_environment	1
1.1	Installation	1
1.2	Use	1
1.3	Recommendations	1
1.4	Custom commands	2
1.5	Credits	2
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	Usage	5
4	devops_environment	7
4.1	devops_environment package	7
5	Contributing	9
5.1	Types of Contributions	9
5.2	Get Started!	10
5.3	Pull Request Guidelines	11
5.4	Tips	11
5.5	Deploying	11
6	History	13
6.1	0.0.1 (2019-02-25)	13
7	Indices and tables	15
	Python Module Index	17

Development environment for DevOps

- Free software: MIT license
- Documentation: <https://devops-environment.readthedocs.io/en/latest/readme.html>

A Python module to manage a CLI development environment.

You can pip install, then launch the same development environment on any machine with Docker.

1.1 Installation

```
pip install -U devops_environment
```

1.2 Use

```
devenv
```

1.3 Recommendations

- Install Docker on host machine
- Configure git on host machine
- Set up ssh keys for git authentication in ~/.ssh/

1.4 Custom commands

- cfn-man: Look up cloud formation docs from command line. Examples:

cfn-man security group

cfn-man auto scaling group

cfn-man asg

cfn-man auato scaligng groudp

Just type in whatever, it will probably work (powered by Google search)

1.5 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.

2.1 Stable release

To install DevOps Environment, run this command in your terminal:

```
$ pip install devops_environment
```

This is the preferred method to install DevOps Environment, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for DevOps Environment can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/sjmilller609/devops_environment
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/sjmilller609/devops_environment/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use DevOps Environment in a project:

```
import devops_environment
```


4.1 devops_environment package

4.1.1 Submodules

4.1.2 devops_environment.cli module

Console script for devops_environment.

ARG_NAME: 'setup' or 'print_run_command'

4.1.3 devops_environment.devops_environment module

Main module.

```
devops_environment.devops_environment.idempotent_make_backup_folder(directory=None)
devops_environment.devops_environment.print_run_command()
devops_environment.devops_environment.pull_image(image='sjmiller609/devops_environment',
                                                    version='latest')
devops_environment.devops_environment.setup()
```

4.1.4 Module contents

Top-level package for devops_environment.

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

5.1 Types of Contributions

5.1.1 Report Bugs

Report bugs at https://github.com/sjmiller609/devops_environment/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

5.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

5.1.4 Write Documentation

devops_environment could always use more documentation, whether as part of the official devops_environment docs, in docstrings, or even on the web in blog posts, articles, and such.

5.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/sjmiller609/devops_environment/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

5.2 Get Started!

Ready to contribute? Here's how to set up *devops_environment* for local development.

1. Fork the *devops_environment* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/devops_environment.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv devops_environment
$ cd devops_environment/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 devops_environment tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

5.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4, 3.5 and 3.6, and for PyPy. Check https://travis-ci.org/sjmiller609/devops_environment/pull_requests and make sure that the tests pass for all supported Python versions.

5.4 Tips

To run a subset of tests:

```
$ py.test tests.test_devops_environment
```

5.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

6.1 0.0.1 (2019-02-25)

- First release on PyPI.

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`

d

`devops_environment`, [7](#)
`devops_environment.cli`, [7](#)
`devops_environment.devops_environment`,
[7](#)

D

`devops_environment` (module), [7](#)
`devops_environment.cli` (module), [7](#)
`devops_environment.devops_environment` (module), [7](#)

I

`idempotent_make_backup_folder()` (in module `devops_environment.devops_environment`),
[7](#)

P

`print_run_command()` (in module `devops_environment.devops_environment`),
[7](#)
`pull_image()` (in module `devops_environment.devops_environment`),
[7](#)

S

`setup()` (in module `devops_environment.devops_environment`),
[7](#)